If you have any questions about our products, your Parador dealer is happy to give you comprehensive advice. You can also visit us on the Internet at www.parador.de and find out more about our wide range for indoors and outdoors.

Laminate flooring
Eco Balance Laminate Flooring
Vinyl
Engineered wood flooring
Eco Balance Engineered Wood Flooring
Solid wood flooring
Wall and ceiling panels
ClickBoard
Decking
Screening

Parador GmbH & Co. K Millenkamp 7-8–8 48653 Coesfeld Germany

Hotline +49 (0)2541 736 6 info@parador.de www.parador.de

As at: 01/2013 © Parador Errors and changes excepte Media code: 1477406





Parador Indoo

Engineered wood / solid wood flooring

# living performance

## Contents

| living performance                   | 0 |
|--------------------------------------|---|
| Basic Engineered Wood Flooring       | 0 |
| Classic Engineered Wood Flooring     | 0 |
| Trendtime Engineered Wood Flooring _ | 1 |
| Classic Solid Wood Flooring          | 2 |
| Surfaces                             | 2 |
| Accessories                          | 2 |
| Product overview                     | 2 |

Parador real wood floors impress with their outstanding quality, intelligent technology and a unique look provided by different surface treatments and a perfect installation pattern.







All-round tongue and groove connection for an easy contin-





lamellars, top layers and the individual plank edges en-

A refined, silky gloss lacquer



















# Art of living meets performance demand

Performance is a permanent feature of our life. Day after day, performance is demanded from us. Delivering performance on a daily basis requires solid ground beneath our feet. For us, the art of living is an appreciation of beauty and to create inspiration out of it at any moment in time.

Real wood floors enhance the value of living spaces in a visible manner. The natural material wood lends warmth and comfort to any room and provides the perfect perfect foundation for tasteful and stylish furnishing. Numerous selected timbers, various plank formats and installation patterns as well as different assortments and surface finishes open up a unique spectrum for exclusive flooring design. Whether traditional or fashion-conscious – all Parador real wood floors are timeless in their quality standard.

As a wood processing company, we are aware of our particular responsibility for the environment and towards handling natural resources in a sustainable manner. That is why we opted in 2004 for certification according to the two best-known systems for sustainable forestry, he FSC® monitored sources of supply. We feed wood waste back into biomass thermal power stations, high ecological and quality standards, we develop and produce exclusively in Germany and Austria, thus ensuring that our products meet your and our high standards in terms of quality and













#### Classic Solid Wood Flooring

Product overview

| Oak                                    | Siberian larch                         | American walnut                        |
|--|--|--|
| $L \times W \times H$ : 1160×168×21 mm | $L \times W \times H$ : 1973×137×19 mm | $L \times W \times H$ : 1200×150×21 mm |
| 1460×168×21 mm                         |  | 1500×150×21 mm                         |
| 1760×168×21 mm                         |  | $1800 \times 150 \times 21 \text{mm}$  |
| 2060×168×21 mm                         |  | 2100×150×21 mm                         |
| 2360×168×21 mm                         |  | 2400×150×21 mm                         |
|  |  |  |

| Range/Timber/Assortment        | Surface  | Prod.<br>No. |
|--------------------------------|----------|--------------|
| Classic 5050                   |          |              |
| Oak Select                     | *        | 1093417      |
| Oak brushed Select             | •        | 1443034      |
| Oak Select                     | <u>_</u> | 1442886      |
| Oak Natur                      | *        | 1093418      |
| Oak brushed Natur              | •        | 1443197      |
| Oak Natur                      | <u>_</u> | 1443191      |
| Oak Living                     | *        | 1093419      |
| Oak brushed Living             | •        | 1443209      |
| Oak Living                     | <u> </u> | 1443203      |
| Siberian larch Natur           | *        | 1093707      |
| Siberian larch brushed Natur   | •        | 1443255      |
| Siberian larch Natur           | <u>_</u> | 1443253      |
| Siberian larch Living          | *        | 1119438      |
| Siberian larch brushed Living  | •        | 1443259      |
| Siberian larch Living          | <u>_</u> | 1443257      |
| American walnut Select         | *        | 1460778      |
| American walnut brushed Select | •        | 1460757      |
| American walnut Select         | <u> </u> | 1460276      |
| American walnut Natur          | *        | 1461170      |
| American walnut brushed Natur  | •        | 1461159      |
| American walnut Natur          | <u>_</u> | 1461152      |


\_\_\_\_\_living performance \_\_\_\_\_\_ 02/05




PARADOR

# **Basic Engineered Wood Flooring**

With a top layer of 2.5 mm and a plank thickness of 11.5 mm, Parador Basic engineered wood flooring is an outstanding entry-level range for the real wood sector. Traditional wood types in block and wideplank look plus different colourings provide a broad spectrum of choices for individual furnishing needs.





#### Basic 11-5



- Top layer: approx. 2.5 mm
- > Formats: 1080/2200×185×11.5 mm
- › Innovative click-in system with automatic long and end edge locking
- > Dimensionally stable 3-layer sandwich composition
- › Solid spruce-fir middle layer
- Quickly, simply and securely installed-immediately ready for use











Basic 06/07

#### **Block floors**



## Wideplanks







Classic 08/09

# Classic Engineered Wood Flooring

Parador Classic engineered wood flooring offers fascination in its most classic form. Thanks to their timeless looks and elegance combined with quality and stability due to a 14 mm installation height, the floors in this collection are ideally suited for making traditional and modern furnishing styles a reality. Despite a high level of refined restraint, engineered wood Classic nevertheless opens up great scope for individual design. Fine timbers in various assortments, in wideplank and block formats plus other attractive wood looks, offer a wide spectrum of colour and textural nuances, which are further enhanced by the type of surface treatment.





#### Classic 3050







- Innovative click-in system with automatic long and end edge locking
- Dimensionally stable 3-layer sandwich composition
- › Solid spruce-fir middle layer
- › Quickly, simply and securely installed-immediately ready for use
- › Plank thickness: 14 mm
- > Top layer: approx. 3.6 mm


› Engineered wood flooring in various lengths and looks

Block/Wideplanks: 2200×185 mm
Basket Weave: 2087×185 mm
Checkerboard: 1910×185 mm
Strip Mix: 2200×185 mm
Old Block pattern: 2200×215 mm
Fineline pattern: 2200×185 mm



# Classic Engineered Wood Flooring


#### **Block floors**



#### **Block floors**

American walnut Living


Classic 3050




American walnut bleached

Living Classic 3050 Classic 10/13

## Wideplanks





# Trendtime Engineered Wood Flooring

Trendtime engineered wood flooring stands for contemporary, modern flooring design and offers a plethora of unconventional design options. At the pinnacle of international interior design culture, Trendtime engineered wood flooring turns current trends into exclusive engineered wood floors that make every room distinctive. For example, with brushed and sawn surfaces and with planks made of historic old wood, which fully bring out the natural quality and durable beauty of the material. Individually hand-finished by specialists, the Trendtime 8 surfaces highlight natural wood features and looks. Besides a variety of fine timbers in differentranges, various plank formats and installation patterns address every individual desire with Trendtime. Sophisticated surface treatments give the engineered wood floors in this collection an even greater character and natural look.



Thermo Oak Medium brushed Living Trendtime 6

14/15 Trendtime

## Trendtime general





- > Innovative click-in systems
- > Dimensionally stable 3-layer sandwich composition
- › Solid spruce-fir middle layer
- › Quickly, simply and securely installed-immediately ready for use
- › Different formats, finishes, assortments and installation patterns

#### Trendtime 1













- › Engineered wood flooring in longstrip look
- › Top layer: approx. 3.6 mm thick solid wood
- › Format: 2010×130×13 mm
- > +Fineline pattern engineered wood without bevel

#### Trendtime 3











- > Engineered wood flooring in strip look (herringbone installation)
- Top layer: approx. 2.5 mm thick solid wood
- > Format: 570×95×10.5 mm

#### Trendtime 4









- > Engineered wood flooring in wide plank look
- > Top layer: approx. 3.6 mm thick solid wood
- > Format: 2010×160×13 mm

#### Trendtime 6









- › Engineered wood flooring in wide plank look
- $\,\,{}^{}_{}_{}$  Top layer: approx. 3.6 mm thick solid wood
- Format: 2200 × 185 × 13 mm

#### Trendtime 8










- › Hand-finished engineered wood flooring in wide plank look
- Top layer: approx. 4 mm thick solid wood
- > Format: 1882×190×15 mm




# Trendtime Engineered Wood Flooring

Trendtime 1 / Trendtime 3 / Trendtime 4





#### Trendtime 4 / Trendtime 6



Trendtime 16/19

## Trendtime 8





Trendtime 8



Classic 20/21

# Classic Solid Wood Flooring

Solid wood floors create a natural and vivid home atmosphere lasting for generations and can be harmoniously combined with both classic and modern style elements. Very up-to-date are the brushed surfaces, which highlight the natural quality of the refined hard and softwoods in terms of look and feel. With their natural and timeless beauty, Parador solid wood flooring provides a durable basis for exclusive furnishing that retains its value.

#### Classic 5050










Siberian larch Natur

Classic 5050

- > Solid wood flooring in various formats with classic tongue and groove joint
- › Plank thickness: 19/21 mm
- › Plank width: 137/150/168 mm



All naturally oiled surfaces have a brushed texture.

# Surfaces

#### Assortments

As a natural, living material, no two timbers are the same. The timber of one and the same type can have very different characteristics, which reflect the whole spectrum of nature and the authenticity of the material – from a calm and harmonious wood character to a lively and expressive one. The choice of assortment therefore also makes it possible to underline personal preferences and individual furnishing styles.



Select

The harmonious texturing and delicate shades allow exceptionally tranquil and sophisticated flooring to be created with the Select assortment.



Natu

For a floor design with a natural yet balanced overall effect, the Natur



Classic

The Classic assortment features a lively spectrum between a harmonious, natural and an earthy look.



Living

The Living assortment is distinguished by a lively appearance and underlines the earthy character of the timber.



Rustika

With a knotty look, a distinctive play of colours and an obvious grain, the Rustika assortment has a particularly natural, earthy effect.

Surfaces 22/2

#### Surface treatments and texture

Various types of surface treatment allow the radiance of the floor to be enhanced by additional facets and emphasise its natural exclusive quality. Brushed, sawn and hand-finished surface textures underline the authentic character of the wood as a natural material.

#### Untreated

Floors without surface treatment are intended for an individual finish applied on site. However, as a matter of principle, there is no need to treat the surface at all. In this case, time is quicker to take effect on the wood, generating a fascinating patina.

#### Lacquer finished

Applying a lacquer finish gives the floor a sophisticated, silkygloss surface and ideal protection against dirt and mechanical stress. The 100% solvent-free lacquer finish consisting of several UV hardened layers is fully closed, yet still brings out the fine wood grain.

#### Matt lacquer finish

A matt lacquer finish combines the protective benefits of a lacquer seal with the natural look of a treatment with oil. The colour and texture of the wood are emphasised, whilst it retains its natural matt radiance. The 100 % solvent-free lacquer finish consisting of several UV-hardened layers is fully closed, but the fine wood grain is proteined.

#### White lacquer finish

This 100% solvent-free lacquer finish, due to the fully closed lacquer finish consisting of several UV-hardened layers, provides the full protection of a seal with lacquer. The gentle colouring compensates for textural and colour nuances in the wood, thus creating a particularly harmonious look.

#### Lacquer finish white matt

In addition to the properties of the matt lacquer finish, the white colouring compensates for the textural and colour nuances in the wood.

#### Natural oil finish

This oil treatment highlights the original, authentic character of the wood in a natural and unadulterated way. The wood is able to develop its own patina, but is also protected at the same time. Subsequently treating or renovating the surface with natural oil can be easily done at any time.

#### White natural oil finish

The white natural oil finish protects the wood without fully closing the surface. The wood therefore appears in its most natural form and at the same time is also able to develop its own patina, whilst the light colouring of the oil compensates for differences in colour and structure. Subsequently treating or Renovating the surface with natural oil can be easily done at any time.

#### Oil impregnation

Oil impregnation combines the benefits of the dirt-repellentlacquer finish with the natural look of an oiled floor. The deep impregnation and hardening with UV light gives the wood optimal protection without being sealed. Its open-pored structure and natural matt radiance are retained.

#### Oil impregnation white

White oil impregnation provides the floor with all the advantages of treatment with oil. The deep impregnation and hardening with UV light gives the wood optimal protection without being sealed. The discreet colouring compensates for differences in colour and structure and creates a particularly calm, harmonious look.

#### Hand-finished – Handscraned

Specialists finish every single plank individually by hand with the attention of traditional craftsmanship. When it comes to making Parador » handscraped «, manual planing gives the floor a very original authentic character.

#### Hand-finished - Elephant Skir

Wood features like grains, knots and cracks are treated by the craftsman and presented in detail. The handmade » elephant skin of surface enhances the unique character of a plank. The result is an almost historic-looking floor.

#### Rough sawn

Besides the distinctive texture of the wood, the surface is characterised by the sawtooth marks running across the planks. The constantly fluctuating sawing intensity makes every single plank an unmistakable individual item.

#### Brushed


Treating the wood surface with stainless steel brushes makes the natural wood grain more intense. The wood texture is not only visible, but also provides an authentic feel.

## Accessories

#### Skirtings with engineered and solid wood flooring


For perfect, harmoniously designed finishes, Parador offers a wide choice of elegant and functional skirtings for engineered and solid wood flooring. Thanks to different shapes and timbers, the skirtings can be ideally matched to the floor in question. With their patented clip technology, the skirtings also make assembly much easier. They are simply pushed onto special clips and can therefore be easily removed at any time.






Interior and exterior corners for skirtings SL 2 and SL 4. Available in aluminium or gold look.

#### End profiles Type 2




Interior and exterior corners for skirtings SL 2 and SL 4. Available in a choice of manle aluminium, gold or smoked oak look

#### Moulding clips




Clips (red) for SL 4, SL 17 and SL 18 with 5 mm cable routing depth for loudspeaker and telephone cables.



Clips (green) for SL 2 with a cable routing depth of 10 mm for power or antenna cables. Accessories 24/2

#### Underlays for engineered and solid wood flooring

The underlay creates the perfect foundation for laying your new Paradorfloor and brings valuable functional features to the flooring design. It compensates for slight uneven patches in the substrate and ensures the required moisture protection on mineral substrates. Special acoustic underlays reduce ambient and impact noise, in other words the noise that the floor transmits to the room itself or to theroom below when walking on it. That improves the rooms acoustics and reduces disturbance from noise. Parador offers you a comprehensive range of high quality underlays, which are ideally suited for various installation situations and purposes.



# **Product overview**

## **Basic Engineered Wood Flooring**

L × W × H: 1080×185×11.5 mm L × W × H: 2200×185×11.5 mm

| Range/Timber/Assortment           | Surface    | Prod. No. |
|-----------------------------------|------------|-----------|
| Basic 11-5                        |            |           |
| Block 3-plank/short format        |            |           |
| Canadian maple Natur              | 1+         | 1366042   |
| European maple Rustikal           | Ī          | 1366037   |
| Beech Natur                       | 1+         | 1314799   |
| Oak Rustikal                      |            | 1314800   |
| Oak Rustikal                      | <u> </u>   | 1366033   |
| Oak Tabacco Rustikal              |            | 1366036   |
| European cherry steamed Rustikal  | +          | 1366038   |
| American walnut Rustikal          | <b>T</b> + | 1366039   |
| Wideplank 1-plank                 |            |           |
| Oak brushed Rustikal              |            | 1366059   |
| Oak all-round mini-bevel Rustikal | Ţ          | 1396118   |

| Range/Timber/Assortment           | Surface | Prod. No. |
|-----------------------------------|---------|-----------|
|                                   |         |           |
| Basic 11-5                        |         |           |
| Block 3-plank/long format         |         |           |
| Canadian maple Natur              | 1+      | 1366069   |
| European maple Rustikal           | Ţ       | 1366065   |
| Beech Natur                       | +       | 1306785   |
| Oak Rustikal                      |         | 1288411   |
| Oak Rustikal                      | <u></u> | 1366061   |
| Oak Tabacco Rustikal              | +       | 1366062   |
| European cherry steamed Rustikal  | +       | 1366066   |
| American walnut Rustikal          | +       | 1366067   |
|                                   |         |           |
| Wideplank 1-plank                 |         |           |
| Oak brushed Rustikal              |         | 1366074   |
| Oak all-round mini-bevel Rustikal | 1       | 1396114   |

Product overview

## Classic Engineered Wood Flooring

 $\begin{array}{lll} \textbf{Strip Mix} & & \textbf{Old Block pattern} \\ \textbf{L} \times \textbf{W} \times \textbf{H} \colon 2200 \times 185 \times 14 \, \text{mm} & & \textbf{L} \times \textbf{W} \times \textbf{H} \colon 2200 \times 215 \times 14 \, \text{mm} \end{array}$ 

| Range/Timber/Assortment           | Surface    | Prod.<br>No. |
|-----------------------------------|------------|--------------|
| Classic 3050                      |            |              |
| Block 3-plank                     |            |              |
| Maple Fineline pattern Natur      | <u></u>    | 1257347      |
| Canadian maple Natur              | <u>1</u> + | 1193271      |
| Canadian maple Natur              | <u></u>    | 1368987      |
| Canadian maple Living             | <u>1</u> + | 1193232      |
| European maple Select             | +          | 1193298      |
| European maple Natur              | +          | 1193272      |
| European maple Living             | +          | 1193234      |
| Beech Select                      | +          | 1193299      |
| Beech Natur                       |            | 1193274      |
| Beech Living                      | <u>1</u> + | 1193235      |
| Oak Select                        |            | 1193300      |
| Oak Natur                         | <u>1</u> + | 1193277      |
| Oak Living                        | <u></u>    | 1193243      |
| Oak Living                        |            | 1193240      |
| Oak Living                        | 1          | 1193242      |
| Oak Amsterdam brushed Living      | <u></u>    | 1368992      |
| Knotty Oak Living                 | <u></u>    | 1193239      |
| Knotty Oak Living                 | <u>1</u> + | 1193238      |
| Oak Barrique Living               | 1          | 1257342      |
| Oak Fineline pattern Natur        | <u></u>    | 1257344      |
| Oak brushed Natur                 | •          | 1368988      |
| Oak smoked Living                 | 1          | 1193245      |
| Oak smoked Fineline pattern Natur | 1          | 1257345      |
| Oak Old Block pattern brushed     | •          | 1475200      |
| Oak Stone brushed Living          | •          | 1368990      |
| Oak vulkan brushed Living         | •          | 1368989      |
| Ash Fineline pattern Natur        | 1          | 1257346      |
| Ash Living                        | 1          | 1193247      |
| Ash Living                        | <u>1</u> + | 1193246      |
| European cherry steamed Natur     | <u>1</u> + | 1193291      |
| European cherry steamed Living    | <u>1</u> + | 1193249      |
| Walnut Fineline pattern Natur     | 1          | 1257348      |
| American walnut Select            |            | 1193311      |
| American walnut Natur             | +          | 1193295      |
| American walnut Living            | 1          | 1257343      |
| American walnut bleached Living   | •          | 1368993      |

| Range/Timber/Assortment      | Surface | Prod.<br>No. |
|------------------------------|---------|--------------|
| Classic 3050                 |         |              |
| Wideplank 1-plank            |         |              |
| Canadian maple Select        | 1.      | 1193297      |
| Canadian maple Natur         | 1.      | 1193262      |
| Beech Natur                  |         | 1193263      |
| Oak Natur                    | 1.      | 1193266      |
| Oak Living                   | 1       | 1193229      |
| Oak Living                   | 1       | 1214434      |
| Oak Basket Weave Natur       | •       | 1475195      |
| Oak Strip Mix brushed Living | •       | 1475216      |
| Oak Checkerboard Living      | •       | 1475197      |

## Trendtime Engineered Wood Flooring

Trendtime 1  $L \times W \times H: 2010 \times 130 \times 13 mm$ 

Trendtime 3 L × W × H: 570×95×10.5 mm

Trendtime 4  $L \times W \times H$ : 2010×160×13 mm

Trendtime 6

Trendtime 8

L x W x H: 2200 x 185 x 13 mm L x W x H: 1882 x 190 x 15 mm

| Range/Timber/Assortment                 | Surface    | Prod.<br>No. |
|---|------------|--------------|
| Trendtime 1                             |            |              |
| Longstrip format                        |            |              |
| Canadian maple Natur                    |            | 1144698      |
| Bamboo limed Natur                      | <u></u>    | 1257351      |
| Bamboo Chocolate Natur                  | 1+         | 1144697      |
| Oak Fineline pattern Natur              | 1          | 1193317      |
| Oak smoked Fineline pattern Natur       | _+         | 1193318      |
| Oak smoked limed Fineline pattern Natur | <u></u>    | 1257349      |
| Smoked Oak Limed Natur                  | 1          | 1257350      |
| Oak smoked Living                       | <b>T</b> ⁺ | 1144693      |
| Oak Living                              | 1.         | 1144702      |
| Oak Living                              | •          | 1144701      |
| Trendtime 3                             |            |              |
| Herringbone look                        |            |              |
| Oak limed Natur                         | 1.         | 1144767      |
| Oak Living                              | 1          | 1144766      |
| Oak black Natur                         | <b>T</b> + | 1144760      |
| Trendtime 4                             |            |              |
| Wideplank look                          |            |              |
| Oak anthracite brushed Living           | <u>_</u>   | 1475218      |
| Oak Arktis Living                       | <u></u>    | 1386875      |
| Oak Barrique Rustikal                   | <u></u>    | 1257372      |
| Oak Château Rustikal                    | <u></u>    | 1368900      |
| Oak brushed Living                      | <u></u>    | 1161793      |
| Oak brushed Living                      | <u> </u>   | 1123545      |
| Oak limed Natur                         | 1          | 1144725      |
| Oak grey limed brushed Living           | <u></u>    | 1475217      |
| Oak Living                              | <u> </u>   | 1123548      |
| Oak Living                              | <u></u>    | 1247345      |
| Oak Living                              | •          | 1134668      |
| Oak Rustikal                            | <u></u>    | 1191085      |
| Oak Metallic brushed Living             | <u>_</u>   | 1475219      |
| American cherry Natur                   | <u>T</u> + | 1257371      |
| Larch brushed Rustikal                  | •          | 1193367      |
| American walnut Natur                   | <u>_</u>   | 1257369      |

| Range/Timber/Assortment                   | Surface | Prod.<br>No. |
|---|---------|--------------|
| Trendtime 6                               |         |              |
| Wideplank look                            |         |              |
| Oak brushed Rustikal                      |         | 1368979      |
| Oak brushed Rustikal                      | •       | 1368978      |
| Oak sawn Rustikal                         | *       | 1368971      |
| Oak sawn Rustikal                         | •       | 1368973      |
| Oak History Rustikal                      | •       | 1368982      |
| Oak Night Grey brushed Living             | •       | 1475330      |
| Oak Noir sawn Living                      | •       | 1368977      |
| Oak Stone brushed Living                  | •       | 1368981      |
| Oak Stone sawn Living                     | •       | 1368976      |
| Oak Terra sawn Living                     | •       | 1368974      |
| Oak vulkan brushed Living                 | •       | 1368980      |
| Oak sawn vulkan Living                    | •       | 1368975      |
| Ash Living                                | •       | 1475328      |
| Ash Living                                | ۵       | 1475329      |
| Thermo Oak Medium brushed Living          | ۵       | 1475319      |
| Thermo Oak Medium brushed Living          | ۵       | 1475320      |
| Trendtime 8                               |         |              |
| Wideplank look                            |         |              |
| Seaport Oak Rustikal                      | •       | 1475350      |
| Oak Elephant skin Classic                 | •       | 1441844      |
| Oak smoked Elephant skin Classic          | •       | 1441845      |
| Oak Handscraped brushed Classic           | •       | 1441320      |
| Oak Handscraped brushed Classic           | ۵       | 1441841      |
| Oak smoked Handscraped<br>brushed Classic | ۵       | 1441842      |
| Oak smoked Handscraped<br>brushed Classic | ۵       | 1441843      |
| Oak Tree Plank Classic                    | •       | 1475331      |
| Oak smoked Tree Plank Classic             | •       | 1475345      |
|   |         |              |